

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
21 June 2001 (21.06.2001)

PCT

(10) International Publication Number
WO 01/44307 A2

(51) International Patent Classification⁷:

C08F

(74) Agent: BEARD, Collen, A.: BioCure, Inc., Suite 100,
2975 Gateway Drive, Norcross, GA 30071 (US).

(21) International Application Number: PCT/US00/42190

(22) International Filing Date:
15 November 2000 (15.11.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:
60/165,531 15 November 1999 (15.11.1999) US

(71) Applicant: BIOCURE, INC. [US/US]; Suite 100, 2975
Gateway Drive, Norcross, GA 30071 (US).

(72) Inventors: HIRT, Thomas; Rohnackherstrasse 32,
CH-9445 Rebstein (CH). HOLLAND, Troy; 2775
Northcliff Drive, Suwanee, GA 30024 (US). FRANCIS,
Vimala; 3735 Rosehaven Way, Suwanee, GA 30024 (US).
CHAOUK, Hassan; 1331 Lincoln Court Avenue, Atlanta,
GA 30329 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.


(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

Without international search report and to be republished
upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: DEGRADABLE POLY(VINYL ALCOHOL) HYDROGELS



(57) Abstract: Biodegradable biocompatible hydrogels based on poly(vinyl alcohol) and methods for their preparation. The methods for preparation of the hydrogels involve the use of prepolymers. The prepolymers have a PVA backbone and pendant chains that include a polymerizable group. In one embodiment, the pendant chains also include a biodegradable region. In another embodiment,

WO 01/44307 A2

DEGRADABLE POLY(VINYL ALCOHOL) HYDROGELS

Related Application

This application claims priority to U.S. Serial No. 60/165,531, filed on November 15, 1999.

Field of the Invention

The present invention relates generally to degradable hydrogels and more specifically to degradable poly(vinyl alcohol) (PVA) hydrogels that are suitable for use as biomaterials.

Background of the Invention

Biocompatible hydrogels have become a favored material for many biomedical applications. In many cases, it is preferable to employ a hydrogel that is biodegradable so that the body can rid itself of the foreign material over a period of time. One biodegradable hydrogel is disclosed in U.S. Patent No. 5,410,016 to Hubbell et al. This material is made from biodegradable, polymerizable macromers having a water soluble region, at least one degradable region which is hydrolyzable under in vivo conditions, and free radical polymerizable end groups having the capacity to form additional covalent bonds resulting in macromer interlinking, wherein the polymerizable end groups are separated from each other by at least one degradable region. In preferred embodiments, the macromers include a central backbone of polyethylene glycol flanked by degradable regions of polycaprolactone or polylactide, which are in turn flanked by polymerizable vinyl groups.

A primary disadvantage of the macromers and hydrogels disclosed by Hubbell is that they are inflexible in design. PEG has only two groups which are easily modified, the terminal hydroxyl groups, and those groups are modified with the biodegradable and polymerizable groups. Moreover, Hubbell does not disclose any ways in which the macromers can be modified or in which the hydrogel can be modified after its formation. Also, the degradable PEG material developed by Hubbell et al. exhibits a large degree of swelling in aqueous solutions, which is disadvantageous in many applications.

PVA based hydrogels are disclosed in U.S. Patent Nos. 5,508,317 and 5,932,674 to Muller. However, these hydrogels are not degradable.

PVA hydrogels offer many advantages over PEG based hydrogels. For example, the availability of pendant OH groups along a PVA backbone adds versatility in terms of the various modifications that could be made to the macromer (e.g. attachment of degradable segments, active agents, hydrophobic groups, etc).

Moreover, a PVA system with its pendant OH groups allows for variations in loading (density) of the attached groups, and this is an important feature to have in a macromer. Third, PEG hydrogels are noted for their superior swelling in aqueous environments. This swelling property could be undesirable for certain applications. With a PVA hydrogel, the

choice of a suitable PVA (with appropriate attached groups if desired) can yield a non-swelling, minimally swelling, or even shrinkable system.

Fourth, PVA possesses greater adhesive properties than PEG. This might be desirable for certain applications. Furthermore, PVA due to its hydrocarbon backbone has greater oxidative stability than PEG and it can be stored as aqueous solutions as opposed to PEG that has to be stored as a freeze-dried powder.

Lastly, the preparation of a PVA macromer can be done in aqueous medium with a final ultrafiltration step for purification. As opposed to this, PEG-based acrylates/methacrylates are prepared in organic solvents, and if not purified well can have toxic residuals such as triethylamine hydrochloride.

A disadvantage of the PVA hydrogels that have been developed is that they are not degradable. Accordingly, it would be advantageous to have a PVA hydrogel that is degradable and methods for making such hydrogels. Moreover, it would be advantageous to have a degradable hydrogel having multiple pendant groups that allow for the attachment of various modifiers.

Summary of the Invention

The invention is directed to biodegradable biocompatible hydrogels based on poly(vinyl alcohol) and methods for their preparation. The degradable hydrogels can be formed *in vivo* or *ex vivo*. The hydrogels can be used for a number of biomedical applications, including, but not limited to, implants, embolic agents, wound healing dressings, adhesion prevention, sealants, bulking agents, coatings for biomaterials, and delivery of biologically active compounds such as drugs, genes, proteins, and enzymes. The hydrogels are advantageous in that the PVA backbone can be easily modified and can provide hydrogels having very different properties.

The methods for preparation of the hydrogels involve the use of prepolymers. The prepolymers have a PVA backbone and pendant chains that include a polymerizable group. In one embodiment, the pendant chains also include a biodegradable region. In another embodiment, biodegradable regions are incorporated into the hydrogel during its formation.

In a first general embodiment, a PVA prepolymer having crosslinkable groups and a second component having a degradable region flanked by crosslinkable groups are combined under conditions suitable for crosslinking the groups. The resulting hydrogel that is formed contains PVA chains linked by degradable regions.

In a second general embodiment, PVA prepolymers are formed having pendant crosslinkable groups separated from the PVA backbone by a biodegradable region. Hydrogels are formed by exposing the prepolymers to conditions that initiate crosslinking of the crosslinkable groups.

The many pendant hydroxyl groups of PVA allow great versatility in design of hydrogels with desired characteristics. Suitable hydrogels can be formed without having to employ each of the hydroxyl groups for attaching crosslinkable groups. Certain hydroxyl groups can be modified before the prepolymer is formed, after the prepolymer is formed, or even after the hydrogel is formed.

Brief Description of the Drawings

Figure 1 illustrates the mass loss over time in pH 7.4 buffer for a hydrogel made from a 3-ester acrylate modified PVA at 1 meq/g crosslinker density. ♦ indicates the degradation at 37C; ■ indicates the degradation at 50C.

Figure 2 illustrates the mass loss for a hydrogel made from 3-ester acrylate modified PVA in pH 9.0 buffer. ■ indicates the degradation at 0.5 meq/g crosslinker density and 50C; Δ indicates the degradation at 0.5 meq/g crosslinker density and 70C; x indicates the degradation at 1.0 meq/g crosslinker density and 50C; • indicates the degradation at 1.0 meq/g crosslinker density and 70C; ● indicates the degradation at 1.8 meq/g crosslinker density and 50C; and I indicates the degradation at 1.8 meq/g crosslinker density and 70C.

Figure 3 illustrates the mass loss for a hydrogel made from 3-ester methacrylate modified PVA at 1 meq/g crosslinker density in pH 7.4 buffer. ♦ indicates an average wet weight of four samples at 37C (wet); ▲ indicates the degradation at 50C (wet); ■ indicates the degradation at 37C (dry); and x indicates the degradation at 50C (dry).

Figure 4 illustrates the mass loss for a hydrogel made from 5-ester acrylate modified PVA at 1 meq/g crosslinker density in 10 mM HEPES buffer at pH 7.4 and pH 9.0. ♦ indicates the degradation at 37C and pH 7.4; ■ indicates the degradation at 37C and pH 9.0; ▲ indicates the degradation at 70C and pH 7.4; and x indicates the degradation at 70C and pH 9.0.

Figure 5 illustrates the mass loss for a hydrogel made from 5-ester acrylate modified PVA at 1 meq/g crosslinker density in 0.1 M phosphate buffer at pH 7.4 and pH 9.0. ♦ indicates the degradation at 37C and pH 7.4; ■ indicates the degradation at 37C and pH 9.0; ▲ indicates the degradation at 70C and pH 7.4; and x indicates the degradation at 70C and pH 9.0.

Detailed Description of the Invention

Biodegradable hydrogels based on poly(vinyl alcohol) have been developed which can be rapidly formed in an aqueous surrounding, e.g., *in vivo*. The PVA based hydrogels can be designed to degrade as fast as a few hours to more than 1 year. Degradation rates are determined in one respect by selection of an appropriate degradable region. For example, use of hydroxyethyl methacrylate (HEMA)-lactate as the biodegradable/ crosslinkable groups will likely provide faster degradation than the use of a 3-ester methacrylate such as mono-2-

(methacryoyloxy)ethyl succinate. Other factors that will affect the degradation rate are the density of the pendant chain bearing the degradable region, the length of the degradable region, the hydrophobicity of the network, and the crosslinking density.

Two Component Embodiment

In one embodiment, the hydrogels are formed by crosslinking two components. Component A is a prepolymer having a PVA backbone having pendant chains with crosslinkable groups, and component B is a molecule having a degradable region flanked by crosslinkable groups.

Component A: Prepolymer Backbone with Polymerizable Groups

PVA

The prepolymers have a backbone of a polyhydroxy polymer, such as PVA or copolymers of vinyl alcohol that contain, for example, a 1,3-diol skeleton. The backbone can also contain hydroxyl groups in the form of 1,2-glycols, such as copolymer units of 1,2-dihydroxyethylene. These can be obtained, for example, by alkaline hydrolysis of vinyl acetate-vinylene carbonate copolymers. Other polymeric diols can be used, such as saccharides.

In addition, the prepolymers can also contain small proportions, for example of up to 20%, preferably of up to 5%, of comonomer units of ethylene, propylene, acrylamide, methacrylamide, dimethacrylamide, hydroxyethyl methacrylate, alkyl (meth)acrylates, alkyl (meth)acrylates which are substituted by hydrophilic groups, such as hydroxyl, carboxyl or amino groups, methyl acrylate, ethyl acrylate, vinylpyrrolidone, hydroxyethyl acrylate, allyl alcohol, styrene, polyalkylene glycols, or similar comonomers usually used.

Polyvinyl alcohols which can be used as prepolymer backbones are commercially available PVAs, for example Vinol[®] 107 from Air Products (MW=22,000 to 31,000, 98-98.8 % hydrolyzed), Polysciences 4397 (MW=25,000, 98.5 % hydrolyzed), BF 14 from Chan Chun, Elvanol[®] 90-50 from DuPont and UF- 120 from Unitika. Other producers are, for example, Nippon Gohsei (Gohsenol[®]), Monsanto (Gelvitol[®]), Wacker (Polyviol[®]) or the Japanese producers Kuraray, Deriki, and Shin-Etsu. In some cases it is advantageous to use Mowiol[®] products from Hoechst, in particular those of the 3-83, 4-88, 4-98, 6-88, 6-98, 8-88, 8-98, 10-98, 20-98, 26-88, and 40-88 types.

It is also possible to use copolymers of hydrolyzed or partially hydrolyzed vinyl acetate, which are obtainable, for example, as hydrolyzed ethylene-vinyl acetate (EVA), or vinyl chloride-vinyl acetate, N-vinylpyrrolidone-vinyl acetate, and maleic anhydride-vinyl acetate. If the prepolymer backbones are, for example, copolymers of vinyl acetate and vinylpyrrolidone, it is again possible to use commercially available copolymers, for example the commercial products available under the name Luviskol[®] from BASF. Particular

examples are Luviskol VA 37 HM, Luviskol VA 37 E and Luviskol VA 28. If the prepolymer backbones are polyvinyl acetates, Mowilith 30 from Hoechst is particularly suitable.

Polyvinyl alcohols that can be derivatized in accordance with the invention preferably have a molecular weight of at least 10,000. As an upper limit, the polyvinyl alcohols may have a molecular weight of up to 1,000,000. Preferably, the polyvinyl alcohols have a molecular weight of up to 300,000, especially up to approximately 100,000 and especially preferably up to approximately 30,000.

The polyvinyl alcohols usually have a poly(2-hydroxy)ethylene structure. The polyvinyl alcohols derivatized in accordance with the disclosure may, however, also comprise hydroxy groups in the form of 1,2-glycols.

The PVA system can be a fully hydrolyzed PVA, with all repeating groups being $\text{CH}_2\text{-CH(OH)}$, or a partially hydrolyzed PVA with varying proportions (25% to 1%) of pendant ester groups. PVA with pendant ester groups have repeating groups of the structure $\text{CH}_2\text{-CH(OR)}$ where R is COCH_3 group or longer alkyls, as long as the water solubility of the PVA is preserved. The ester groups can also be substituted by acetaldehyde or butyraldehyde acetals that impart a certain degree of hydrophobicity and strength to the PVA. For an application that requires an oxidatively stable PVA, the commercially available PVA can be broken down by $\text{NaIO}_4\text{-KMnO}_4$ oxidation to yield a small molecular weight (3-4K) PVA.

The PVAs are prepared by basic or acidic, partial or virtually complete hydrolysis of polyvinyl acetate. In a preferred embodiment, the polyvinyl alcohol derivatized in accordance with the invention comprises less than 50% of vinyl acetate units, especially less than about 25% of vinyl acetate units. Preferred amounts of residual acetate units in the polyvinyl alcohol derivatized in accordance with the invention, based on the sum of vinyl alcohol units and acetate units, are approximately from 3 to 25%.

The prepolymers contain pendant groups that can be crosslinked to one end of the component B molecules. Various crosslinkable groups can be used.

Crosslinkable Groups

Crosslinking of components may be via any of a number of means, such as physical crosslinking or chemical crosslinking. Physical crosslinking includes, but is not limited to, complexation, hydrogen bonding, desolvation, Van der Waals interactions, and ionic bonding. Chemical crosslinking can be accomplished by a number of means including, but not limited to, chain reaction (addition) polymerization, step reaction (condensation) polymerization and other methods of increasing the molecular weight of polymers/oligomers to very high molecular weights. Chain reaction polymerization includes but is not exclusive to free radical polymerization (thermal, photo, redox, atom transfer polymerization, etc.), cationic polymerization (including onium), anionic polymerization (including group transfer

polymerization). certain types of coordination polymerization. certain types of ring opening and metathesis polymerizations, etc. Step reaction polymerizations include all polymerizations which follow step growth kinetics including but not limited to reactions of nucleophiles with electrophiles, certain types of coordination polymerization, certain types of ring opening and metathesis polymerizations, etc. Other methods of increasing molecular weight of polymers/oligomers include but are not limited to polyelectrolyte, formation, grafting, ionic crosslinking, etc.

In one embodiment, a two part redox system is employed. One part of the system contains a reducing agent such as ferrous salt. Various ferrous salts can be used, such as ferrous gluconate dihydrate, ferrous lactate dihydrate, or ferrous acetate. The other half of the solution contains an oxidizing agent such as hydrogen peroxide. Either or both of the redox solutions can contain macromer, or it may be in a third solution. The two solutions are combined and the agents react to initiate the crosslinking.


Other reducing agents can be used, such as, but not limited to cuprous salts, cerous salts, cobaltous salts, permanganate, and manganous salts. Other oxidizing agents that can be used include, but are not limited to, t-butyl hydroperoxide, t-butyl peroxide, benzoyl peroxide, cumyl peroxide, etc.

The crosslinkable groups consist preferably of the following groups:
(meth)acrylamide, (meth)acrylate, styryl, vinyl ester, vinyl ketone, vinyl ethers, etc.

Specific Prepolymers

Prepolymers suitable for use are disclosed in U.S. Patent Nos. 5,932,674, 5,508,317, 5,665,840, 5,849,841, 6,011,077, 5,939,489, and 5,807,927.

In one embodiment, units containing a crosslinkable group conform, in particular, to the formula I




in which R is a linear or branched C₁-C₈ alkylene or a linear or branched C₁-C₁₂ alkane. Suitable alkylene examples include octylene, hexylene, pentylene, butylene, propylene, ethylene, methylene, 2-propylene, 2-butylene and 3-pentylene. Preferably lower alkylene R has up to 6 and especially preferably up to 4 carbon atoms. The groups ethylene


and butylene are especially preferred. Alkanes include, in particular, methane, ethane, n- or isopropane, n-, sec- or tert-butane, n- or isopentane, hexane, heptane, or octane. Preferred groups contain one to four carbon atoms, in particular one carbon atom.

R_1 is hydrogen, a C_1 - C_6 alkyl, or a cycloalkyl, for example, methyl, ethyl, propyl or butyl and R_2 is hydrogen or a C_1 - C_6 alkyl, for example, methyl, ethyl, propyl or butyl. R_1 and R_2 are preferably each hydrogen.


R_3 is an olefinically unsaturated electron attracting copolymerizable radical having up to 25 carbon atoms. In one embodiment, R_3 has the structure



where R_4 is the



group if n =zero, or the



bridge if n =1:

R_5 is hydrogen or C_1 - C_4 alkyl, for example, n-butyl, n- or isopropyl, ethyl, or methyl;

n is zero or 1, preferably zero; and

R_6 and R_7 , independently of one another, are hydrogen, a linear or branched C_1 - C_8 alkyl, aryl or cyclohexyl, for example one of the following: octyl, hexyl, pentyl, butyl, propyl, ethyl, methyl, 2-propyl, 2-butyl or 3-pentyl. R_6 is preferably hydrogen or the CH_3 group, and R_7 is preferably a C_1 - C_4 alkyl group. R_6 and R_7 as aryl are preferably phenyl.

In another embodiment, R_3 is an olefinically unsaturated acyl group of formula R_8 -CO-, in which R_8 is an olefinically unsaturated copolymerizable group having from 2 to 24 carbon atoms, preferably from 2 to 8 carbon atoms, especially preferably from 2 to 4 carbon atoms. The olefinically unsaturated copolymerizable radical R_8 having from 2 to 24 carbon atoms is preferably alkenyl having from 2 to 24 carbon atoms, especially alkenyl having from 2 to 8 carbon atoms and especially preferably alkenyl having from 2 to 4 carbon atoms, for example ethenyl, 2-propenyl, 3-propenyl, 2-butenyl, hexenyl, octenyl or dodecenyl. The

groups ethenyl and 2-propenyl are preferred, so that the group $-CO-R_8$ is the acyl radical of acrylic or methacrylic acid.

In another embodiment, the group R_3 is a radical of formula



5 wherein q and p are zero or one and

R_9 and R_{10} are each independently lower alkylene having from 2 to 8 carbon atoms, arylene having from 6 to 12 carbon atoms, a saturated divalent cycloaliphatic group having from 6 to 10 carbon atoms, arylenealkylene or alkylenearylene having from 7 to 14 carbon atoms or arylenealkylenearylene having from 13 to 16 carbon atoms, and

10 R_8 is as defined above.

Lower alkylene R_9 or R_{10} preferably has from 2 to 6 carbon atoms and is especially straight-chained. Suitable examples include propylene, butylene, hexylene, dimethylethylene and, especially preferably, ethylene.

Arylene R_9 or R_{10} is preferably phenylene that is unsubstituted or is substituted by 15 lower alkyl or lower alkoxy, especially 1,3-phenylene or 1,4-phenylene or methyl-1,4-phenylene.

A saturated divalent cycloaliphatic group R_9 or R_{10} is preferably cyclohexylene or cyclohexylene-lower alkylene, for example cyclohexylenemethylene, that is unsubstituted or is substituted by one or more methyl groups, such as, for example, 20 trimethylcyclohexylenemethylene, for example the divalent isophorone radical.

The arylene unit of alkylenearylene or arylenealkylene R_9 or R_{10} is preferably phenylene, unsubstituted or substituted by lower alkyl or lower alkoxy, and the alkylene unit thereof is preferably lower alkylene, such as methylene or ethylene, especially methylene. Such radicals R_9 or R_{10} are therefore preferably phenylenemethylene or methylenephénylene.

25 Arylenealkylenearylene R_9 or R_{10} is preferably phenylene-lower alkylene-phenylene having up to 4 carbon atoms in the alkylene unit, for example phenyleneethylenephénylene.

The radicals R_9 and R_{10} are each independently preferably lower alkylene having from 2 to 6 carbon atoms, phenylene, unsubstituted or substituted by lower alkyl, cyclohexylene or cyclohexylene-lower alkylene, unsubstituted or substituted by lower alkyl, phenylene-lower 30 alkylene, lower alkylene-phenylene or phenylene-lower alkylene-phenylene.

The divalent group $-R_9-NH-CO-O-$ is present when q is one and absent when q is zero. Prepolymers in which q is zero are preferred.

The divalent group $-CO-NH-(R_9-NH-CO-O)_q-R_{10}-O-$ is present when p is one and absent when p is zero. Prepolymers in which p is zero are preferred.

35 In prepolymers in which p is one, q is preferably zero. Prepolymers in which p is one, q is zero, and R_{10} is lower alkylene are especially preferred.

All of the above groups can be monosubstituted or polysubstituted, examples of suitable substituents being the following: C₁-C₄ alkyl, such as methyl, ethyl or propyl, -COOH, -OH, -SH, C₁-C₄ alkoxy (such as methoxy, ethoxy, propoxy, butoxy, or isobutoxy), -NO₂, -NH₂, -NH(C₁-C₄), -NH-CO-NH₂, -N(C₁-C₄ alkyl)₂, phenyl (unsubstituted or substituted by, for example, -OH or halogen, such as Cl, Br or especially I), -S(C₁-C₄ alkyl), a 5- or 6-membered heterocyclic ring, such as, in particular, indole or imidazole, -NH-C(NH)-NH₂, phenoxyphenyl (unsubstituted or substituted by, for example, -OH or halogen, such as Cl, Br or especially I), an olefinic group, such as ethylene or vinyl, and CO-NH-C(NH)-NH₂.

Preferred substituents are lower alkyl, which here, as elsewhere in this description, is preferably C₁-C₄ alkyl, C₁-C₄ alkoxy, COOH, SH, -NH₂, -NH(C₁-C₄ alkyl), -N(C₁-C₄ alkyl)₂ or halogen. Particular preference is given to C₁-C₄ alkyl, C₁-C₄ alkoxy, COOH and SH.

For the purposes of this invention, cycloalkyl is, in particular, cycloalkyl, and aryl is, in particular, phenyl, unsubstituted or substituted as described above.

Modifiers

The prepolymers can include further modifier groups and crosslinkable groups such as those described in U.S. Patent No. 5,932,674. Crosslinkable groups and the optional further modifier groups can be bonded to the prepolymer skeleton in various ways, for example through a certain percentage of the 1,3-diol units being modified to give a 1,3-dioxane, which contains a crosslinkable radical, or a further modifier, in the 2-position. Modifiers that might be attached to the hydroxyls include those to modify the hydrophobicity, active agents or groups to allow attachment of active agents, photoinitiators, modifiers such as polymers or molecules to enhance or reduce adhesiveness, polymers to impart thermoresponsiveness, polymers to impart other types of responsiveness, and additional crosslinking groups.

Component B

Component B is a molecule having a degradable region flanked by crosslinkable groups. Component B contains at least 1 group capable of crosslinking with the crosslinkable groups of component A. Component B also includes at least one group capable of crosslinking with other components B after they have been attached to component A. The mechanism by which component A crosslinks with component B can be different than the mechanism by which component B crosslinks with other component B's after they are attached to component A's. When component A is a specific prepolymer as described above, component B includes a group capable of crosslinking with the olefinically unsaturated group of component A. Component B can include other copolymers in addition to the degradable region and crosslinkable group.

Crosslinkable Groups

Any of the crosslinkable groups described above with respect to component A can also be used on component B. Different types of crosslinking may be employed for crosslinking of A to one end of B and of B with other B's.

Degradable Regions

5 The degradable region is preferably degradable under *in vivo* conditions by hydrolysis. The degradable region can be enzymatically degradable. For example, the degradable region may be polymers and oligomers of glycolide, lactide, ϵ -caprolactone, other hydroxy acids, and other biologically degradable polymers that yield materials that are non-
10 toxic or present as normal metabolites in the body. Preferred poly(α -hydroxy acid)s are poly(glycolic acid), poly(DL-lactic acid) and poly(L-lactic acid). Other useful materials include poly(amino acids), poly(anhydrides), poly(orthoesters), poly(phosphazines), and poly(phosphoesters). Polylactones such as poly(ϵ -caprolactone), poly(ϵ -caprolactone), poly(δ -valerolactone) and poly(γ -butyrolactone), for example, are also useful. Enzymatically
15 degradable linkages include poly(amino acids), gelatin, chitosan, and carbohydrates. The biodegradable regions may have a degree of polymerization ranging from one up to values that would yield a product that was not substantially water soluble. Thus, monomeric, dimeric, trimeric, oligomeric, and polymeric regions may be used. The biodegradable region could, for example, be a single methacrylate group.

20 Biodegradable regions can be constructed from polymers or monomers using linkages susceptible to biodegradation, such as ester, acetal, carbonate, peptide, anhydride, orthoester, phosphazine, and phosphoester bonds.

Methods of Making Biodegradable PVA Hydrogels from Components A and B

Methods for Making the Prepolymers

25 Methods for making the prepolymers are taught in the U.S. Patents to Muller cited above.

The prepolymers of formulae I are extraordinarily stable. Spontaneous crosslinking by homopolymerization does not typically occur. The prepolymers of formula I can furthermore be purified in a manner known per se, for example by precipitation with acetone,
30 dialysis, or ultrafiltration. Ultrafiltration is especially preferred. By means of that purification process the prepolymers of formula I can be obtained in extremely pure form, for example in the form of concentrated aqueous solutions that are free, or at least substantially free, from reaction products, such as salts, and from starting materials.

35 The preferred purification process for the prepolymers of the invention, ultrafiltration, can be carried out in a manner known per se. It is possible for the ultrafiltration to be carried out repeatedly, for example from two to ten times. Alternatively, the ultrafiltration can be

carried out continuously until the selected degree of purity is attained. The selected degree of purity can in principle be as high as desired. A suitable measure for the degree of purity is, for example, the sodium chloride content of the solution, which can be determined simply in known manner.

5 The prepolymers of formulae I are crosslinkable in an extremely effective and controlled manner.

Methods for Making Hydrogels

The methods of making a hydrogel from components A and B involves combining the components under conditions suitable for crosslinking of components A and B and, optionally in a second step, crosslinking of components B after they have been attached to components A.

The crosslinking is suitably carried out in a solvent. A suitable solvent is in principle any solvent that dissolves components A and B, for example water, alcohols, such as lower alkanols, for example ethanol or methanol, also carboxylic acid amides, such as dimethylformamide, or dimethyl sulfoxide, and also a mixture of suitable solvents, such as, for example, a mixture of water with an alcohol, such as, for example, a water/ethanol or a water/methanol mixture. The combination of A and B is preferably carried out in a substantially aqueous solution. In accordance with the invention, the criterion that the prepolymer is soluble in water denotes in particular that the prepolymer is soluble in a concentration of approximately from 3 to 90% by weight, preferably approximately from 5 to 60% by weight, in a substantially aqueous solution. Insofar as it is possible in an individual case, prepolymer concentrations of more than 90% are also included in accordance with the invention.

Within the scope of this invention, substantially aqueous solutions of the prepolymer comprise especially solutions of the prepolymer in water, in aqueous salt solutions, especially in aqueous same solutions that have an osmolarity of approximately from 200 to 450 milliosmol per 1000 ml (unit: mOsm/l), preferably an osmolarity of approximately from 250 to 350 mOsm/l, especially approximately 300 mOsm/l, or in mixtures of water or aqueous salt solutions with physiologically tolerable polar organic solvents, such as, for example, glycerol. Solutions of the prepolymer in water or in aqueous salt solutions are preferred.

The viscosity of the solution of the prepolymer in the substantially aqueous solution is, within wide limits, not critical, but the solution should preferably be a flowable solution that can be deformed strain-free.

The molecular weight of the prepolymer is also, within wide limits, not critical. Preferably, however, the prepolymer has a molecular weight of from approximately 3,000 to approximately 200,000, most preferably from about 3,000 to 30,000.

Components A and B are preferably combined such that a hydrogel is formed having crosslinking in an amount of from approximately 0.25 to 10 milliequivalents of crosslinker per gram of PVA (meq/g), more desirably about 0.25 to 1.5 meq/g.

In order to encourage inter crosslinking between A and B prior to intra crosslinking of A with A or B with B, a large excess of B can be used, such as a ten fold increase. It is possible that a partially degradable hydrogel will result from this system. Such a partially degradable hydrogel may be desirable for some applications.

Preferably, the prepolymers used in the process according to the invention can be purified in a manner known per se, for example by precipitation with organic solvents, such as acetone, filtration and washing, extraction in a suitable solvent, dialysis or ultrafiltration, ultrafiltration being especially preferred. By means of that purification process the prepolymers can be obtained in extremely pure form, for example in the form of concentrated aqueous solutions that are free, or at least substantially free, from reaction products, such as salts, and from starting materials, such as, for example, non-polymeric constituents.

The preferred purification process for the prepolymers used in the process according to the invention, ultrafiltration, can be carried out in a manner known per se. It is possible for the ultrafiltration to be carried out repeatedly, for example from two to ten times. Alternatively, the ultrafiltration can be carried out continuously until the selected degree of purity is attained. The selected degree of purity can in principle be as high as desired. A suitable measure for the degree of purity is, for example, the sodium chloride content of the solution, which can be determined simply in a known manner, such as by conductivity measurements.

One additive that is added, where appropriate, to the solution of the prepolymer is an initiator for the crosslinking, should an initiator be required for crosslinking the crosslinkable groups. Moreover, it may be desirable to employ different crosslinking means for crosslinking component A to component B and for crosslinking component B to other component B's after they are attached to component A's. For example, it may be desirable to employ salt crosslinking for crosslinking component A to component B but to employ redox initiated free radical crosslinking for crosslinking components B.

Single Component Embodiment

In the single component embodiment, a prepolymer is used to produce the hydrogel. The prepolymer includes a PVA backbone having pendant chains having a degradable region and crosslinkable group. In this embodiment, as opposed to the two component embodiment, the biodegradable regions are attached to the PVA backbone to form a prepolymer prior to crosslinking of the prepolymer into a hydrogel. It is desired that at least a majority of the crosslinkable groups are attached to the polymer via the degradable region. The prepolymer

when polymerized results in a crosslinked network that is permeable to water but water insoluble. This crosslinked PVA network has degradable segments in between the crosslinked moieties. As such, hydrolytic/enzymatic degradation of these degradable segments would result in the degradation of the entire network, or a degradable PVA system.

5 The degradable segment may be attached to the backbone in two ways. One method involves the preparation of a degradable crosslinker containing both the polymerizable segment and the degradable segment, followed by its attachment to the PVA backbone. The attachment of the degradable crosslinker to the backbone can be done by suitable functionalization of pendant hydroxyl groups on the PVA backbone and/or the degradable
10 crosslinker.

A second method involves the attachment of the degradable segment first to the PVA backbone, following which the crosslinkable moiety is attached to the degradable segment. The ease of synthesis as well as the type of degradable segment and crosslinker used determines the type of method used. The choice of a suitable degradable segment, its length
15 and loading dictate the final degradation profile achieved, although this is also a function of certain environmental factors such as pH, temperature and buffer concentrations.

The PVA Backbone

Generally, the requirements for the PVA in this embodiment are the same as for the two component embodiment. Poly(vinyl alcohols) which can be used as prepolymer
20 backbones are commercially available PVAs, for example Vinol[®] 107 from Air Products (MW=22,000 to 31,000, 98-98.8 % hydrolyzed), Polysciences 4397 (MW=25,000, 98.5 % hydrolyzed), BF 14 from Chan Chun, Elvanol[®] 90-50 from DuPont and UF- 120 from Unitika. Other producers are, for example, Nippon Gohsei (Gohsenol[®]), Monsanto (Gelvatol[®]), Wacker (Polyviol[®]) or the Japanese producers Kuraray, Deriki, and Shin-Etsu.
25 In some cases it is advantageous to use Mowiol[®] products from Hoechst, in particular those of the 3-83, 4-88, 4-98, 6-88, 6-98, 8-88, 8-98, 10-98, 20-98, 26-88, and 40-88 types.

It is also possible to use copolymers of hydrolyzed or partially hydrolyzed vinyl acetate, which are obtainable, for example, as hydrolyzed ethylene-vinyl acetate (EVA), or vinyl chloride-vinyl acetate, N-vinylpyrrolidone-vinyl acetate, and maleic anhydride-vinyl
30 acetate. If the prepolymer backbones are, for example, copolymers of vinyl acetate and vinylpyrrolidone, it is again possible to use commercially available copolymers, for example the commercial products available under the name Luviskol[®] from BASF. Particular examples are Luviskol VA 37 HM, Luviskol VA 37 E and Luviskol VA 28. If the prepolymer backbones are polyvinyl acetates, Mowilith 30 from Hoechst is particularly suitable.

35 The PVA should preferably have a molecular weight of at least 10,000. As an upper limit, the polyvinyl alcohols may have a molecular weight of up to 1,000,000. Preferably, the

polyvinyl alcohols have a molecular weight of up to 300,000, especially up to approximately 100,000 and especially preferably up to approximately 30,000.

PVAs usually have a poly(2-hydroxy)ethylene structure. The PVA may, however, also comprise hydroxy groups in the form of 1,2-glycols.

5 The PVA system can be a fully hydrolyzed PVA, with all repeating groups being -CH₂-CH(OH), or a partially hydrolyzed PVA with varying proportions (25% to 1%) of pendant ester groups. PVA with pendant ester groups have repeating groups of the structure CH₂-CH(OR) where R is COCH₃ group or longer alkyls, as long as the water solubility of the PVA is preserved. The ester groups can also be substituted by acetaldehyde or butyraldehyde
10 acetals that impart a certain degree of hydrophobicity and strength to the PVA. For an application that requires an oxidatively stable PVA, the commercially available PVA can be broken down by NaIO₄-KMnO₄ oxidation to yield a small molecular weight (3-4K) PVA.

The PVA is prepared by basic or acidic, partial or virtually complete hydrolysis of polyvinyl acetate. In a preferred embodiment, the polyvinyl alcohol derivatized in accordance
15 with the invention comprises less than 50% of vinyl acetate units, especially less than 20% of vinyl acetate units. Preferred amounts of residual acetate units in the polyvinyl alcohol derivatized in accordance with the invention, based on the sum of vinyl alcohol units and acetate units, are approximately from 3 to 20%, preferably approximately from 5 to 16%.

Degradable Region

20 Generally the same degradable regions can be used as are described above for the two component embodiment. The PVA based hydrogels can be designed to degrade as fast as an hour to a day (with cross linkers containing rapidly degradable segments such as HEMA-glycolate and HEA-glycolate), to a few days or more than 1 year, with degradable segments such as 3-ester or 5-ester methacrylates or acrylates (for example, using mono-2-
25 (methacryloyloxy)ethyl succinate (a 3-ester methacrylate), or mono-2-(Acryloyloxy)ethyl succinate (AOES, a 3-ester acrylate). The desired degradability can be achieved using an appropriate degradable region, an appropriate region length, by varying the hydrophobicity of the network with pendant groups, and by varying the density or loading of the degradable/crosslinking chains.

Crosslinkable Groups

30 The crosslinkable groups that can be used in the single component embodiment are the same as those described above with respect to the two component embodiment.

Modifiers

The prepolymers can include further modifier groups and crosslinkable groups such as
35 those described in U.S. Patent No. 5,932,674. Crosslinkable groups and the optional further modifier groups can be bonded to the prepolymer skeleton in various ways, for example

through a certain percentage of the 1,3-diol units being modified to give a 1,3-dioxane, which contains a crosslinkable radical, or a further modifier, in the 2-position. Modifiers that might be attached to the hydroxyls include those to modify the hydrophobicity, active agents or groups to allow attachment of active agents, photoinitiators, modifiers such as polymers or molecules to enhance or reduce adhesiveness, polymers to impart thermoresponsiveness, polymers to impart other types of responsiveness, and additional crosslinking groups.

Methods of Making Biodegradable PVA Hydrogels from a Single Component

The prepolymers can be made in at least two ways. In one method, a degradable crosslinker containing both the polymerizable group and the degradable region is prepared, followed by its attachment to the PVA backbone. The attachment of the degradable cross linker to the backbone can be done by suitable functionalization of pendant hydroxyl groups on the PVA backbone and/or groups on the degradable cross linker. In a second method, the degradable segment is first attached to the PVA backbone, following which the cross linkable moiety is attached to the degradable segment.

The methods for attaching the crosslinkable group to the degradable region and for attaching the degradable region to the PVA will vary according to the type of crosslinkable group and degradable region used. One skilled in the art will be capable of designing a synthetic scheme.

Degradable glycolide or lactide based crosslinkers can be prepared according to the reference Furch, M. et al., Polymer, 39(10):1977-1982 (1998). It should be noted that this experimental procedure offers several advantages. First, a variety of degradable segments derived from glycolide, lactide, caprolactone, cyclic anhydrides, etc. can be prepared each of which provides a specific degradation profile. Second, this technique also allows for a "1-step" synthesis of a degradable cross linker by simple control of the initial "feed ratio" of monomer to initiator. Third, by supplying a feed of different monomer types and monomer ratios, one could prepare a variety of random or block copolymers to achieve a specific degradation pattern. Fourth, one could incorporate end cappers such as succinic anhydride in the initial monomer feed to prepare acid-terminated segments, thereby eliminating an additional synthetic step.

Methods for Using the Prepolymers and Hydrogels

The hydrogels can be used for a number of biomedical applications, including, but not limited to, implants, embolic agents, wound healing dressings, adhesion prevention, sealants, bulking agents, coatings for biomaterials, and delivery of biologically active compounds such as drugs, genes, proteins, and enzymes.

In one embodiment, a hydrogel is formed from the prepolymers prior to implantation in or application or administration to a patient. In another embodiment, a hydrogel is formed

in situ at the intended site of use. By way of example, a soft tissue implant can be formed by injecting a solution of prepolymers into the site where the implant is to be formed, along with the second component if the two component embodiment is used. Crosslinking of the prepolymers is initiated to form the hydrogel. Bulking agents and embolic agents can be similarly formed. The compositions can also be used to create tissue supports by forming shaped articles within the body to serve a mechanical function. Such supports include, for example, sealants for bleeding organs, sealants for bone defects and space-fillers for vascular aneurysms. Further, such supports include strictures to hold organs, vessels or tubes in a particular position for a controlled period of time.

The compositions can be applied in a number of ways, such as injection, via catheter, by spray, by pouring or spreading on a surface.

The composition can be used for encapsulation of various agents, such as therapeutic, diagnostic and prophylactic agents. For example, the compositions can be used to deliver an active agent which can be any of a variety of materials, including proteins, carbohydrates, nucleic acids, and inorganic and organic biologically active molecules. Specific examples include enzymes, antibiotics, antineoplastic agents, local anesthetics, hormones, antiangiogenic agents, antibodies, neurotransmitters, psychoactive drugs, drugs affecting reproductive organs, and oligonucleotides such as antisense oligonucleotides. Cells, tissues, and organelles can also be encapsulated.

In a variation of the method for controlled drug delivery, the prepolymers are polymerized with the biologically active materials to form microspheres or nanoparticles containing the biologically active material. The macromer, photoinitiator, and agent to be encapsulated are mixed in an aqueous mixture. Particles of the mixture are formed using standard techniques, for example, by mixing in oil to form an emulsion, forming droplets in oil using a nozzle, or forming droplets in air using a nozzle. The suspension or droplets are irradiated with a light suitable for photopolymerization of the macromer.

The present invention will be further understood by reference to the following non-limiting examples.

Examples

Moderate to Slow Degrading Systems

Hydrogels having moderate to slow degradation times, ranging from a few days, to months, to a year were prepared. Degradation profiles are shown in Tables 1 and 2.

Example 1: Preparation of Degradable PVA containing 3-ester acrylate cross linker.

3-ester acrylate modified PVA was prepared having 0.5 to 1.8 milliequivalents of the side chain per gram of PVA (meq/g). The following recipe is for 1.0 meq/g. The proportion

of crosslinker chain to PVA was adjusted to prepare prepolymers with other meq/g. Dried mono-2-(acryloyloxy)ethyl succinate (AOES, 2.3 g, 10.6 mmol) in dichloromethane (DCM, 35 mL) was maintained under nitrogen at about 5°C. One glass stopper was removed and replaced with a rubber septum. Dicyclohexylcarbodiimide (DCC) solution (5 mL, 5 mmol) was removed from the sure seal bottle by syringe under nitrogen flow. The DCC solution was added to the AOES solution slowly over about 2 minutes. A precipitate formed almost immediately. After complete addition of the DCC solution, the flask was removed from the ice bath and the solution was stirred at room temperature. The reaction was followed by the disappearance of the DCC peak at about 2116 cm⁻¹. The reaction was done in less than 2 hours.

When the reaction was complete, the dicyclohexylurea (DCU) byproduct was removed by filtration through a glass frit. The precipitate was rinsed with a little DCM and the DCM was removed from the filtrate using the rotary evaporator. About 5 mL or more of DMSO was added as needed in order to dissolve the anhydride. At this time, 29.4 g of an 18% PVA solution in DMSO was added. The PVA used was Mowiol 3-83. Upon addition of the PVA solution, some polymer may precipitate. If this does occur, stir the solution until the solution is homogenous. Heating the solution to 60°C may be required. When the solution was homogeneous, 5 drops of triethylamine was added. The solution was stirred at room temperature overnight. The following day, the solution was heated to 60°C for 1 hour. The solution was precipitated into a 10-fold excess of acetone (vs. volume of DMSO). Additional DMSO may be needed to dilute the solution so the polymer is able to precipitate adequately. About 12-15% solids is appropriate.

Formulation, casting, and curing of degradable PVA

A 20% solution of the degradable PVA prepolymers in water was prepared with 0.3% Irgacure. The mixture was warmed to 60°C for about 15-30 minutes until the polymer completely dissolved. To prepare flats, 2 drops of the polymer solution were transferred into a polypropylene mold, the mold was closed, and the solution was irradiated for 20 seconds (2.0-2.5 mW/cm² at 310 nm. and intensity of 65-75 mW/cm² at 365 nm). Plugs were prepared by adding 35 drops of the formulation to the open male end of the polypropylene mold and irradiating under the same conditions. The cross linked gels were analyzed for degradation profiles.

Protocol for In vitro Degradation Experiments

A 10 mM HEPES solution at pH 7.4 was prepared containing 0.200 g/L sodium azide. The phosphate buffer used was a 100 mM solution at pH 9.0 containing 0.200g/L sodium azide.

5 *Determination of Initial Wet Weight*

Prior to the degradation experiment, the gels were stored in USP water at 4°C. A gel sample was removed from solution using small forceps. The excess water was removed from the gel by touching the sample to the side of the beaker. The sample was then placed in a vial, the lid placed on the vial and weighed on a 4-place balance.

10 *Determination of the initial dry weight*

After the wet weight of the samples has been determined the lid was removed and the samples were exposed in order for it to start to dry. A few pieces of dry ice were placed in a small Dewar flask. Ethanol was slowly added to the dry ice. Wait until the evolution of CO₂ has slowed before beginning. The vial was held without the lid using crucible tongs and about 1 cm of the bottom of the vial was submerged into the cold ethanol for 1 minute. At this time the vial was removed from the cold ethanol, the excess ethanol was dried from the bottom of the vial using a paper towel and the vial was placed in the freezer and kept there for at least 1 hour. The samples were placed into the freeze-drier overnight. The next day, the dried samples were weighed with the lids on.

20 *General Procedure*

After the weights were determined, 5 mL of the appropriate buffer was immediately added using a 10 mL pipet. The lid was replaced and the vial was placed into the appropriate oven.

When a mass measurement was taken, the vial was removed from the oven and allowed to cool for a few minutes, then a small plastic pipet was used to remove the excess water without touching the sample. After all the excess water was removed, all the excess water from the lid and inside the vial was removed without touching the sample. The lid was replaced and the weight of the sample was determined as described above for the wet weight determination. After this was done, either some fresh HEPES solution was added to the vial or the sample was freeze-dried and the dry weight of the sample was determined.

30 Figure 1 illustrates the mass loss over time in pH 7.4 buffer for a hydrogel made from a 3-ester acrylate modified PVA at 1 meq/g crosslinker density. ♦ indicates the degradation at 37C; ■ indicates the degradation at 50C.

Figure 2 illustrates the mass loss for a hydrogel made from 3-ester acrylate modified PVA in pH 9.0 buffer. ■ indicates the degradation at 0.5 meq/g crosslinker density and 50C; Δ indicates the degradation at 0.5 meq/g crosslinker density and 70C; x indicates the

degradation at 1.0 meq/g crosslinker density and 50C: • indicates the degradation at 1.0 meq/g crosslinker density and 70C; ● indicates the degradation at 1.8 meq/g crosslinker density and 50C; and I indicates the degradation at 1.8 meq/g crosslinker density and 70C.

5 **Example 2: Preparation of Degradable PVA containing 3-ester methacrylate cross linker.**

The same procedure as Example 1 was followed, using mono-2-(methacryloyloxy)ethyl succinate.

Figure 3 illustrates the mass loss for a hydrogel made from 3-ester methacrylate modified PVA at 1 meq/g crosslinker density in pH 7.4 buffer. ♦ indicates an average wet weight of four samples at 37C (wet); ▲ indicates the degradation at 50C (wet); ■ indicates the degradation at 37C (dry); and x indicates the degradation at 50C (dry).

Example 3: Preparation of Degradable PVA containing 5-ester acrylate cross linker.

15 AOES (3 g, 13.88 mmoles) and ethylene glycol (4.308g, 69.4 mmoles) were dried. A few milligrams of dimethylaminopyridine (DMAP) was added to the solution. The solution was cooled to 4°C, and 1M DCC solution (13.88 mL, 13.88 mmoles) was added over 25 minutes. At this time the solution was removed from the ice bath and stirred at room temperature for 4 hours. The DCU precipitate was removed by filtration and the filtrate was extracted with 5% HCl (2 x 75 mL), 1 M NaHCO₃ (2 x 75 mL) and deionized water (2 x 5 mL). The organic phase was dried with MgSO₄, the MgSO₄ was filtered, and the filtrate 20 concentrated under reduced pressure. The product was dried overnight in a vacuum oven at room temperature.

The product of the above reaction (0.915 g, 3.52 mmoles) was dissolved in 10 mL of dichloroethane (DCE). Succinic anhydride (0.352 g, 3.52 mmoles) and 1-methylimidazole (72 µL) was added to the solution. The solution was heated to 60 °C for 3 hours, then cooled 25 to room temperature, and extracted with 10% HCl (2 x 50 mL) and deionized water (2 x 50 mL). The organic layer was dried using MgSO₄, the MgSO₄ was filtered, and the filtrate concentrated under reduced pressure. The product was dried in a vacuum oven overnight at room temperature. ¹H NMR CDCl₃ (vinyl, 6.4 ppm (d), 6.2 ppm (q), 5.8 ppm (d); CH₂ of ethylene glycol, 4.2-4.4 ppm; CH₂ of succinic acid, 2.6-2.8 ppm). FT-IR (COOH, 2300-3600 30 cm⁻¹; ester, 1732 cm⁻¹; vinyl, 2957, 1636 cm⁻¹).

5-ester acrylate having 3 meq/g acetal was prepared similarly.

Figure 4 illustrates the mass loss for a hydrogel made from 5-ester acrylate modified PVA at 1 meq/g crosslinker density in 10 mM HEPES buffer at pH 7.4 and pH 9.0. ♦ indicates the degradation at 37C and pH 7.4; ■ indicates the degradation at 37C and pH 9.0: 35

▲ indicates the degradation at 70C and pH 7.4; and x indicates the degradation at 70C and pH 9.0.

Figure 5 illustrates the mass loss for a hydrogel made from 5-ester acrylate modified PVA at 1 meq/g crosslinker density in 0.1 M phosphate buffer at pH 7.4 and pH 9.0. ♦

5 indicates the degradation at 37C and pH 7.4; ■ indicates the degradation at 37C and pH 9.0; ▲ indicates the degradation at 70C and pH 7.4; and x indicates the degradation at 70C and pH 9.0.

Example 4: Preparation of Degradable PVA containing carboxyethylacrylate cross linker.

10 The same procedure as Example 1 was followed using carboxyethylacrylate and 3-83 PVA at 1.0 meq/g.

Example 5: Preparation of Degradable PVA containing vinyl azlactone cross linker.

15 The same procedure as Example 1 was followed using vinylazlactone and 4-88 PVA at 1.0 meq/g. Azlactone-modified PVA was prepared according to the literature reference Muhlebach, A. et. al., *J. Polym. Sci., Polym. Chem. Ed.* 1997, 35, 3603-3611.

Example 6: Preparation of Degradable PVA containing 10K PEG diazylactone cross linker.

20 PEG 10K diol (10 g) was dissolved in 52 mL DCM. The material was dried by reflux of DCM through molecular sieves for an hour. Vinyl azlactone (0.5105 g, 0.0037 moles) was added to the PEG solution, followed by 20 µl of 1,8-diazabicyclo{5,4,0}undec-7-ene (DBU). The solution was heated under reflux for 24 hours. After the solution cooled, it was poured into 500 mL of hexane. The precipitate was filtered and dried in a vacuum oven at room temperature overnight.

25

Table 1: Days to Complete Degradation in 0.1M Phosphate Buffer

Crosslinker	days at pH 7.4 37°C	days at pH 9.0 37°C	days at pH 7.4 70°C	days at pH 9.0 70°C	days in 1N NaOH	Diameter in PBS (37°C)
3-ester acrylate flat (1.0 meq/g)	105 ¹	12-14	4	2	-	
3-ester acrylate plug (1.25 meq/g)	>76	-	-	-	-	
3-ester methacrylate (1.0 meq/g)	>178	33-35	8-8.5	3	2-3 minutes	
5-ester acrylate flat (1.0 meq/g)	36-38	2	1.7	0.5	-	
5-ester acrylate plug (1.5 meq/g)	>86	-	-	-	-	19 mm
5-ester acrylate plug (1.3 meq/g)	69	-	-	-	-	18 mm (hazy)
5-ester acrylate plug (0.75 meq/g)	46	15-17	-	-	-	-
5-ester acrylate plug (0.5 meq/g)	25-26	-	1.3	-	-	21 mm
5-ester acrylate plug (0.4 meq/g)	13-14	-	-	-	-	22 mm
5-ester acrylate plug (0.34 meq/g)	8-13	-	-	-	-	30 mm
5-ester acrylate plug (0.4 meq/g + 3 meq/g acetal)	>38	-	-	-	-	18 mm
5-ester acrylate plug (0.3 meq/g + 3 meq/g acetal)	>35	-	4 ²	-	-	20 mm
Carboxyethylacrylate	>188	>188	>188	>188	5	
Vinyl azlactone	>185	>185	>185	>193	7 hours	
PEG 10K diaz lactone	57. 65	>145	7	3.5	~38 minutes	
PEG 35K diacrylate	-	16 hours	-	1-5 hours	seconds	

Note 1: gels not completely degraded, but unable to remove buffer solution without removing the pieces of gel.

5

Note 2: The sample held its shape for 4 days at 70°C, but lost its shape when cooled to room temperature

Table 2: Days to Complete Degradation in 10 mM HEPES Buffer

Crosslinker	days at pH 7.4 37°C	days at pH 9.0 37°C	days at pH 7.4 70°C	days at pH 9.0 70°C	Comments
3-ester methacrylate (1 meq/g)	>281	-	94-104	-	33% mass increase in 274 days
3-ester acrylate (1 meq/g)	>273	-	-	11	73% mass increase in 272 days
5-ester acrylate (1 meq/g)	178	15-17	13	2.5	Some sample pieces left

Fast degrading systems

Hydrogels having fast degradation times, ranging from hours to a day were prepared. Degradable glycolide cross linkers were prepared according to the reference Furch. M. et al., Polymer, 39(10):1977-1982 (1998).

Materials:

Glycolide obtained from PolySciences was used as received. Hydroxyethyl acrylate (HEA) and Hydroxyethyl methacrylate (HEMA) were dried over molecular sieves (4 Å) and distilled under reduced pressure before use. Triethyl aluminum (Et_3Al , 1M solution in hexane) was obtained from Aldrich and used as received. Triethyl aluminum (Et_3Al , 2M solution in toluene) was obtained from Aldrich and used as received. Anhydrous methylene chloride (DCM, >99.9%, Aldrich), anhydrous DMSO (Aldrich), and diethyl ether were used as received. All glassware was dried in the oven, and flame dried under nitrogen flow before use. All transfers were done under strictly anhydrous conditions via syringe or cannula.

Example 7: Preparation of Degradable PVA containing HEMA Glycolate-COOH cross linker.

Preparation of HEMA-Glycolate-COOH cross linker

HEMA-glycolate-OH (F.W. 246g/mol, 5g, 20 mmol) was taken in a 3-necked flask fitted with a water condenser. Succinic anhydride (3.15 g, 30.5 mmol), a pinch of 4-methoxyphenol, and 200 mL of anhydrous dichloroethane (DCE) were added to the above reaction flask and the contents were stirred. 1-methyl imidazole (3.5 mL, 44 mmol) was added to the above reaction flask and the contents were stirred overnight (~18h) at 70 °C using an oil bath. The mixture was cooled to room temperature and transferred to a separatory funnel. The contents were washed with 10% HCl (2x100 mL), followed by DI water (2x100 mL). Saturated NaCl was used to break up any emulsions in the course of the work up. The organic layer (DCE) was separated, dried over MgSO_4 , and the MgSO_4 filtered off. The filtrate was concentrated on a rotary evaporator to yield the HEMA-glycolide-COOH product as yellow oil. The product was characterized by IR, Proton NMR and Carbon

NMR spectroscopy. ^1H NMR (CDCl_3) 6.3 ppm (d, 1H) of vinyl, 5.6 ppm (d, 1H) of vinyl, 4.6-4.8 ppm (m, 4H) of CH_2 of glycolate unit, 4.4 ppm (m, broad, 4H) includes CH_2 groups of HEMA, 2.6-2.8 ppm (m, 4H) of succinic anhydride end-capper, 2.0 ppm (s, 3H) of CH_3 group of HEMA.

5 Preparation of degradable PVA containing HEMA-Glycolate-COOH cross linker

The HEMA-glycolate-COOH cross linker was attached to PVA by the following procedure. 60 mL of DCM was taken in a flame dried 3-necked flask fitted with a Soxhlet and a condenser (attached to the Soxhlet). The Soxhlet was pre-filled with dry molecular sieves. The contents were refluxed for 2.5h. The HEMA-glycolate-COOH (F.W. 346 g/mol, 10 2.0 g, 5.8 mmol) in 20 mL of anhydrous DCM was added to the reaction flask by syringe and the contents were gently refluxed for an additional 0.5h. The contents were cooled to room temperature and dicyclohexylcarbodiimide (1M solution in DCM, 2.9 mL, 2.9 mmol) was added in drops to the reaction flask by syringe. The mixture remained clear but turned turbid in a few minutes due to the precipitation of the dicyclohexyl urea byproduct. The contents 15 were stirred at room temperature for 3h, and the reaction was followed for completion by IR analysis. The contents were filtered to remove the urea byproduct and the filtrate was concentrated on a rotary evaporator. The residue obtained after concentration is the anhydride of HEMA-glycolate-COOH. This product was taken in about 100 mL of anhydrous DMSO and the contents were stirred.

20 Poly(vinyl alcohol) [PVA 4-88, 14.2g, 20% solution in anhydrous DMSO] was taken in a dry flask and 80 mL of DMSO was added to the flask by cannula. Triethyl amine (2 mL) was added to the PVA solution and the contents were stirred for ~5 minutes. Following this, the anhydride product in DMSO (prepared above) was cannulated in drops to the PVA solution with rapid stirring. The contents were stirred overnight at room temperature, and 25 then for 2h at 60 °C using an oil bath. The contents were cooled to room temperature and the DMSO solution of PVA was precipitated into acetone (DMSO:acetone was 1:10, v/v) in drops with rapid stirring. A fine white precipitate was obtained that was isolated by filtration or centrifuging process (dependent on the type of precipitate obtained). The precipitate was then dried under vacuum to yield a dry white fibrous solid which is the degradable PVA 30 containing the HEMA-glycolate cross linker (loading of degradable segment on PVA is 1 meq/g).

Formulation, casting, and curing of degradable PVA

A 30% solution of the degradable PVA prepolymer in water was prepared with 1% Irgacure. The mixture was warmed to 60°C for about 15-30 minutes until the polymer 35 completely dissolved. The polymer solution was then transferred into polypropylene molds and UV irradiated for 30 seconds (2.0-2.5 mW/cm² at 310 nm, and intensity of 65-75

mW/cm² at 365 nm) to yield a cross linked gel that was analyzed for degradation profiles. The degradation profiles were determined as described below. After UV irradiation, the flats were placed in a suitable buffer at a specific temperature and the time to dissolution was determined. A static set up was used.

The degradation times of this hydrogel in various buffers at various temperatures is shown in Table 3. The phosphate buffer used was a 100 mM solution at pH 9.0 (with 0.2% NaN₃). The HEPES buffer used was a 10 mM solution at pH 9.0 (without 0.2% NaN₃). Materials used were flats that were cured by UV light for 30 seconds, in polypropylene molds of 246 μ m thickness. Loading of cross linker groups (XL) on PVA was 1 meq/g

Table 3. Degradation of [PVA-glycolate-XL] as a function of buffer type and temperature

Buffer	Temperature (°C)	Buffer Volume (mL)	Time to Degradation (hours)	Gel Form
Phosphate	37	10	5.50	Dissolved
Phosphate	37	10	5.50	Dissolved
Phosphate	50	10	3.50	Dissolved
Phosphate	50	10	3.50	Dissolved
Phosphate	70	10	3.35	Dissolved
Phosphate	70	10	3.35	Dissolved
HEPES	37	10	29.0	Dissolved
HEPES	37	10	29.0	Dissolved
HEPES	50	10	20.0	Dissolved
HEPES	50	10	20.0	Dissolved
HEPES	70	10	3.33	Dissolved
HEPES	70	10	3.33	Dissolved

Example 8: Preparation of Degradable PVA containing HEA-Glycolate cross linker.

Synthesis of HEA-Glycolate-OH

60 mL of DCM and Et₃Al solution in toluene (2 M solution, 1.5 mL, 3 mmol) were placed in a flask that had been flame dried and purged with nitrogen, and equipped with a rubber septum. The contents in the flask were cooled to 0 °C for about 15 minutes. Under vigorous stirring, freshly distilled hydroxyethyl acrylate (HEA) (0.4 mL, 3 mmol) in 15 mL of DCM was added by cannula to the flask containing the Et₃Al solution. The color of the solution turned yellow on addition of the HEA and stayed yellow for a few seconds. The contents were stirred at 0 °C for 10 minutes and then at room temperature for 1h. The flask was then transferred to an oil bath and stirred at 40 °C for an additional 30 minutes.

Glycolide (3.5g, 30 mmol) was quickly weighed out into a clean dry flask with a stir bar and the flask was sealed with a rubber septum. About 90 mL of DCM was cannulated into the flask containing the glycolide and the contents were stirred to effect dissolution. The

glycolide solution was then cannulated into the flask containing the HEA- Et_3Al solution at 40°C . The contents of the flask remained clear during this addition but became turbid with progress of the reaction. The contents were allowed to stir for 20 h at room temperature. At the end of the reaction, trifluoroacetic acid (in this case, 120 mL) was added to the reaction mixture with vigorous stirring until most of the prepolymer dissolved (external cooling may be employed at this stage of the reaction if necessary). On addition of the trifluoroacetic acid, the turbid mixture became increasingly translucent. The mixture was then filtered through a coarse frit funnel and precipitation of the filtrate was checked in diethyl ether. The entire filtrate (about 230 mL) was added in drops to diethyl ether (800 mL) with rapid stirring to yield a white precipitate. The precipitate was filtered using a frit funnel under aspirator pressure and the product was dried in a vacuum oven overnight at room temperature. Carbon NMR and Proton NMR characterization confirms the formation of the product i.e. HEA attached to 20 glycolate units (from 10 glycolide units). ^1H NMR (CDCl_3 / CF_3COOD mixture) 6.6 ppm (d) of vinyl, 6.2 ppm (q) of vinyl, 6.0 ppm (d) of vinyl, 5.0 ppm (m, broad) of CH_2 of glycolate unit, 4.4-4.6 ppm (m, broad) includes CH_2 groups of HEA and CH_2OH of last glycolate segment of macromer.

This degradable cross linker could be attached to the PVA backbone by isocyanate coupling reaction between the hydroxyl groups. A suitable diisocyanate such as HMDI (hexamethylene diisocyanate) or IPDI (isophorone diisocyanate) can be employed for this reaction.

Example 9: Preparation of Degradable PVA containing HEMA-Glycolate cross linker.

Synthesis of HEMA-Glycolate-OH

120 mL of DCM and Et_3Al solution in hexane (1 M solution, 28.8 mL, 29 mmol) were placed in a flask that had been flame dried and purged with nitrogen, and equipped with a rubber septum. The contents in the flask were cooled to 0°C for about 15 minutes. Under vigorous stirring, freshly distilled HEMA (3.5 mL, 29 mmol) in 30 mL of DCM was added by cannula to the flask containing the Et_3Al solution. The color of the solution turned yellow on addition of the HEMA and stayed yellow for a few seconds. The contents were stirred at 0°C for 10 minutes and then at room temperature for 1 h. The flask was then transferred to an oil bath and stirred at 40°C for an additional 30 minutes. Glycolide (3.4 g, 29 mmol) was quickly weighed out into a clean dry flask with a stir bar and the flask was sealed with a rubber septum. About 120 mL of DCM was cannulated into the flask containing the glycolide and the contents were stirred to effect dissolution. The glycolide solution was then cannulated into the flask containing the HEMA- Et_3Al solution at 40°C . The contents of the flask remained clear during this addition but became turbid with progress of the reaction. The

contents were allowed to stir for 20 h at room temperature. At the end of the reaction the mixture was cooled to 0 °C in an ice bath and trifluoroacetic acid (100 mL) was added to the reaction mixture with vigorous stirring until most of the prepolymer dissolved. The mixture was then stirred at room temperature for an additional 10 minutes. On addition of the trifluoroacetic acid, the turbid mixture became increasingly translucent. The mixture was then filtered through a coarse frit funnel and the filtrate was concentrated in a rotary evaporator to remove all solvents (DCM, TFA, Hexane). The product was a yellow liquid. One method of purification is column chromatography using silica gel with DCM:diethyl ether mixture (80:20, v/v) as the eluting solvent mixture. As column chromatography can be time consuming, a differential solubility technique was developed to separate the HEMA-glycolate product from the catalyst byproduct. It should be noted that both purification methods resulted in products that had identical characterization results by TLC and NMR techniques. For the differential solubility purification method, the HEMA-glycolate product (yellow liquid) was added slowly into dichloroethane to precipitate the unwanted byproduct. The HEMA-glycolate product remains in solution and can be separated from the solid byproduct by filtration. The filtrate is then concentrated on a rotary evaporator under reduced pressure. The product is a yellow liquid that is dried in a vacuum oven overnight at room temperature. Carbon NMR and Proton NMR characterization confirm the formation of the product i.e. HEMA attached to 2 glycolate units (from 1 glycolide unit). ¹H NMR (CDCl₃ / CF₃COOD mixture) 6.3 ppm (d, 1H) of vinyl, 5.8 ppm (d, 1H) of vinyl, 5.0 ppm (m, 2H) of CH₂ of glycolate unit, 4.4-4.6 ppm (m, broad, 6H) includes CH₂ groups of HEMA and CH₂OH of last glycolate segment of oligomer, 2.0 ppm (s, 3H) of CH₃ group of HEMA. GPC analysis was done of the starting material (HEMA), the product HEMA-glycolate-OH, and the product spiked with HEMA. Analysis of the plots shows the presence of the product and the absence of the starting material, HEMA. Also, GC-MS analysis was done of the starting material (HEMA), the product HEMA-glycolate-OH, and the product spiked with HEMA. An evaluation of the plots show 3 peaks for the product, which correspond to the major molecular weight fragments (M⁺ ions) from the HEMA-glycolate-OH product. No peaks corresponding to unreacted HEMA are seen.

This degradable cross linker could be attached to the PVA polymer as described above in Example 8.

Example 10: *In situ* synthesis of HEMA-glycolate-COOH

70 mL of DCM and Et₃Al solution in hexane (1 M solution, 14.5 mL, 14.5 mmol) were placed in a flask that had been flame dried and purged with nitrogen, and equipped with a rubber septum. The contents in the flask were cooled to 0 °C for about 15 minutes. Under vigorous stirring, freshly distilled HEMA (1.75 mL, 14.4 mmol) in 30 mL of DCM was

added by cannula to the flask containing the Et_3Al solution. The color of the solution turned yellow on addition of the HEA and stayed yellow for a few seconds. The contents were stirred at 0°C for 15 minutes and then at room temperature for 1h. The flask was then transferred to an oil bath and stirred at 40°C for an additional 30 minutes. Glycolide (5.1 g, 43.2 mmol) was quickly weighed out into a clean dry flask with a stir bar and the flask was sealed with a rubber septum. About 125 mL of DCM was cannulated into the flask containing the glycolide and the contents were stirred to effect dissolution. The glycolide solution was then cannulated into the flask containing the HEMA- Et_3Al solution at 40°C . Immediately after the cannulation of the glycolide was complete, a solution of succinic anhydride (1.5 g, 14.4 mmol) in 60 mL of DCM was cannulated into the reaction flask. The reaction mixture was homogeneous after the addition of glycolide and succinic anhydride solutions. The mixture was stirred for 15 minutes at 40°C , and then for 20 h at room temperature. At the end of the reaction the mixture was homogeneous and yellow in color. The mixture was cooled to 0°C in an ice bath, and trifluoroacetic acid (30 mL) was added to the reaction mixture with vigorous stirring. On allowing the reaction mixture to stand, a yellowish white precipitate settled to the bottom of the flask and was removed by filtration through a coarse frit funnel. The precipitation of the filtrate was checked in diethyl ether. The filtrate (about 300 mL) was added in drops to diethyl ether (1200 mL) with rapid stirring to yield a white precipitate. The precipitate was filtered using a frit funnel under aspirator pressure and the product was dried in a vacuum oven overnight at room temperature. Carbon NMR and Proton NMR characterization confirms the formation of the product i.e. HEMA attached to glycolate units that are end-capped with an acid group from the succinic anhydride end capper. ^1H NMR (CDCl_3 / CF_3COOD mixture) 6.3 ppm (d, 1H) of vinyl, 5.8 ppm (d, 1H) of vinyl, 5.0 ppm (m, 10H) of CH_2 of glycolate unit, 4.4-4.6 ppm (m, broad, 6H) includes CH_2 groups of HEMA and CH_2 of last glycolate segment, 2.8-3.0 ppm (m, 4H) of succinic anhydride end-capper, 2.0 ppm (s, 3H) of CH_3 group of HEMA.

This degradable cross linker could be attached to the PVA polymer as described above in Example 8.

Modifications and variations of the present invention will be apparent to those skilled in the art from the foregoing detailed description. All modifications and variations are intended to be encompassed by the following claims. All publications, patents, and patent applications cited herein are hereby incorporated by reference in their entirety.

What is claimed is:

1. A biocompatible hydrogel formed by crosslinking a first component comprising a prepolymer having at least one pendant chain bearing a first crosslinking group and a second component comprising a biodegradable region, a second crosslinking group capable of crosslinking with the first crosslinking group of the prepolymer, and a third crosslinking group capable of crosslinking with another second component wherein the hydrogel degrades *in vivo*.

2. The hydrogel of claim 1 wherein the hydrogel fully degrades *in vivo*.

3. The hydrogel of claim 1 wherein the hydrogel partially degrades *in vivo*.

4. The hydrogel of claim 1, wherein the biodegradable region of the second component is flanked by the second and third crosslinking groups.

5. The hydrogel of claim 1 wherein the prepolymer comprises a poly(vinyl alcohol) backbone having a hydroxyl group substituted with the pendant chain bearing the first crosslinking group.

6. The hydrogel of claim 5, wherein at least one hydroxyl group of the poly(vinyl alcohol) is substituted with a modifier.

7. The hydrogel of claim 1 wherein crosslinking of one or more of the first, second, or third crosslinking groups can be initiated by a mechanism selected from the group consisting of thermal initiation, redox initiation, photoinitiation, or a combination thereof.

8. The hydrogel of claim 6, wherein the modifier is selected from the group consisting of modifiers to change the hydrophobicity of the hydrogel, active agents and groups to allow attachment of an active agent, photoinitiators, modifiers to alter adhesiveness of the hydrogel, modifiers to impart thermoresponsiveness to the hydrogel, and additional crosslinking groups.

9. A composition for forming a biodegradable hydrogel comprising: a first component comprising a prepolymer having at least one pendant chain bearing a first crosslinking group; and a second component comprising a biodegradable region, a second crosslinking group capable of crosslinking with the first crosslinking group of the prepolymer, and a third crosslinking group capable of crosslinking with another second component; wherein the hydrogel formed from crosslinking of the first and second components degrades *in vivo*.

10. The composition of claim 9 wherein the first and second components crosslink to form a hydrogel that fully degrades *in vivo*.

11. The composition of claim 9 wherein the first and second components crosslink to form a hydrogel that partially degrades *in vivo*.

12. The composition of claim 9, wherein the biodegradable region of the second component is flanked by the second and third crosslinking groups.

13. The composition of claim 9 wherein the prepolymer comprises a poly(vinyl alcohol) backbone having a hydroxyl group substituted with the pendant chain bearing the first crosslinking group.

14. The composition of claim 9 wherein at least one hydroxyl group of the poly(vinyl alcohol) is substituted with a modifier.

15. The composition of claim 9 wherein crosslinking of one or more of the first, second, or third crosslinking groups can be initiated by a mechanism selected from the group consisting of thermal initiation, redox initiation, photoinitiation, or a combination thereof.

16. The composition of claim 14, wherein the modifier is selected from the group consisting of modifiers to change the hydrophobicity of the hydrogel, active agents and groups to allow attachment of an active agent, photoinitiators, modifiers to alter adhesiveness of the hydrogel, modifiers to impart thermoresponsiveness to the hydrogel, and additional crosslinking groups.

17. A method of forming a degradable hydrogel at a site in a patient in need thereof comprising delivering a prepolymer having at least one pendant chain bearing a first crosslinking group and a second component comprising a biodegradable region, a second crosslinking group capable of crosslinking with the first crosslinking group of the prepolymer, and a third crosslinking group capable of crosslinking with another second component to the site in the patient, and initiating crosslinking of the first, second, and third groups thereby forming the hydrogel.

18. The method of claim 17 wherein the hydrogel fully degrades *in vivo*.

19. The method of claim 17 wherein the hydrogel partially degrades *in vivo*.

20. The method of claim 17, wherein the biodegradable region of the second component is flanked by the second and third crosslinking groups.

21. The method of claim 17 wherein the prepolymer comprises a poly(vinyl alcohol) backbone having a hydroxyl group substituted with the pendant chain bearing the first crosslinking group.

22. The method of claim 17, wherein at least one hydroxyl group of the poly(vinyl alcohol) is substituted with a modifier.

23. The method of claim 17 wherein crosslinking of one or more of the first, second, or third crosslinking groups is initiated by a mechanism selected from the group consisting of thermal initiation, redox initiation, photoinitiation, or a combination thereof.

24. The method of claim 22, wherein the modifier is selected from the group consisting of modifiers to change the hydrophobicity of the hydrogel, active agents and groups to allow attachment of an active agent, photoinitiators, modifiers to alter adhesiveness of the hydrogel, modifiers to impart thermoresponsiveness to the hydrogel, and additional crosslinking groups.

25. A prepolymer for forming a degradable PVA hydrogel comprising a PVA backbone having at least two hydroxyl groups substituted with a chain comprising a degradable region and a crosslinkable group and at least one hydroxyl group substituted with a modifier.

26. The prepolymer of claim 25, wherein the biodegradable region is between the backbone and the crosslinking group.

27. The prepolymer of claim 25, wherein the modifier is selected from the group consisting of modifiers to change the hydrophobicity of the hydrogel, active agents and groups to allow attachment of an active agent, photoinitiators, modifiers to alter adhesiveness of the hydrogel, modifiers to impart thermoresponsiveness to the hydrogel, and additional crosslinking groups.

28. The prepolymer of claim 25 wherein crosslinking of the prepolymer can be initiated by a mechanism selected from the group consisting of thermal initiation, redox initiation, photoinitiation, or a combination thereof.

29. A degradable hydrogel formed from crosslinking prepolymers comprising a PVA backbone having at least two hydroxyl groups substituted with a chain comprising a degradable region and a crosslinkable group and at least one hydroxyl group substituted with a modifier.

30. The hydrogel of claim 29, wherein the biodegradable region is between the backbone and the crosslinking group.

31. The hydrogel of claim 29, wherein the modifier is selected from the group consisting of modifiers to change the hydrophobicity of the hydrogel, active agents and groups to allow attachment of an active agent, photoinitiators, modifiers to alter adhesiveness of the hydrogel, modifiers to impart thermoresponsiveness to the hydrogel, and additional crosslinking groups.

32. The hydrogel of claim 29 wherein crosslinking of the prepolymers is initiated by a mechanism selected from the group consisting of thermal initiation, redox initiation, photoinitiation, or a combination thereof.

33. The hydrogel of claim 29 wherein the hydrogel fully degrades *in vivo*.

34. The hydrogel of claim 29 wherein the hydrogel partially degrades *in vivo*.

35. A method of forming a degradable hydrogel at a site in a patient in need thereof comprising delivering a composition comprising prepolymers comprising a PVA backbone having at least two hydroxyl groups substituted with a chain comprising a degradable region and a crosslinkable group and at least one hydroxyl group substituted with a modifier to the site in the patient, and initiating crosslinking of the prepolymers thereby forming the hydrogel.

36. The method of claim 35, wherein the biodegradable region is between the backbone and the crosslinking group.

37. The method of claim 35 wherein the modifier is selected from the group consisting of modifiers to change the hydrophobicity of the hydrogel, active agents and groups to allow attachment of an active agent, photoinitiators, modifiers to alter adhesiveness of the hydrogel, modifiers to impart thermoresponsiveness to the hydrogel, and additional crosslinking groups.

38. The method of claim 35 wherein crosslinking of the prepolymers is initiated by a mechanism selected from the group consisting of thermal initiation, redox initiation, photoinitiation, or a combination thereof.

39. The method of claim 35 wherein the hydrogel fully degrades *in vivo*.

40. The method of claim 35 wherein the hydrogel partially degrades *in vivo*.




Figure 1




Figure 2




Figure 5




Figure 3




Figure 4

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
21 June 2001 (21.06.2001)

PCT

(10) International Publication Number
WO 01/44307 A3

(51) International Patent Classification: C08F 8/00

(21) International Application Number: PCT/US00/42190

(22) International Filing Date:
15 November 2000 (15.11.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/165,531 15 November 1999 (15.11.1999) US

(71) Applicant: BIOCURE, INC. [US/US]; Suite 100, 2975 Gateway Drive, Norcross, GA 30071 (US).

(72) Inventors: HIRT, Thomas; Rohnackherstrasse 32, CH-9445 Rebstein (CH). HOLLAND, Troy; 2775 Northcliff Drive, Suwanee, GA 30024 (US). FRANCIS, Vimala; 3735 Roschaven Way, Suwanee, GA 30024 (US). CHAOUK, Hassan; 1331 Lincoln Court Avenue, Atlanta, GA 30329 (US).

(74) Agent: BEARD, Collen, A.; BioCure, Inc., Suite 100, 2975 Gateway Drive, Norcross, GA 30071 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW). Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM). European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR). OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:
with international search report

(88) Date of publication of the international search report:
7 February 2002

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: DEGRADABLE POLY(VINYL ALCOHOL) HYDROGELS



(57) Abstract: Biodegradable biocompatible hydrogels based on poly(vinyl alcohol) and methods for their preparation. The methods for preparation of the hydrogels involve the use of prepolymers. The prepolymers have a PVA backbone and pendant chains that include a polymerizable group. In one embodiment, the pendant chains also include a biodegradable region. In another embodiment,



VO 01/44307 A3

INTERNATIONAL SEARCH REPORT

International Application No

PC1/US 00/42190

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 C08F8/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 C08F A61L A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

PAJ, WPI Data, EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
X	WO 97 05185 A (FOCAL, INC.) 13 February 1997 (1997-02-13) page 6, line 6 -page 16, line 28; claims 1-50 ---	1-40
X	WO 99 03454 A (INFIMED, INC.) 28 January 1999 (1999-01-28) page 10, line 5 -page 13, line 15 page 14, line 14 -page 17, line 26 page 30, line 24 -page 32, line 1; claims 1-58 ---	1
Y	WO 93 17669 A (BOARD OF REGENTS, THE UNIVERSITY OF TEXAS SYSTEM) 16 September 1993 (1993-09-16) cited in the application page 12, paragraph 3 -page 20; claims 1-31 --- -/--	1-40

☒ Further documents are listed in the continuation of box C

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- *G* document member of the same patent family

Date of the actual completion of the international search

26 October 2001

Date of mailing of the international search report

07/11/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel: +31 (0) 78 639 2040, Telex: 31651 EPO NL

Authorized officer

Permentier, W

INTERNATIONAL SEARCH REPORT

International Application No

PCI/US 00/42190

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 96 24073 A (CIBA-GEIGY AG) 8 August 1996 (1996-08-08) cited in the application page 1, paragraph 2 - paragraph 3 page 2, paragraph 4 -page 5 page 10, paragraph 2 -page 24 page 26, paragraph 2 -page 27, paragraph 5; claims 1-46 ---	1-40
Y	WO 96 24075 A (CIBA-GEIGY AG) 8 August 1996 (1996-08-08) cited in the application page 1, paragraph 2 page 2, paragraph 3 -page 5; claims 1-33 ---	1-40
A	WO 98 12243 A (FOCAL, INC.) 26 March 1998 (1998-03-26) page 9, line 22 -page 19, line 20; claims 1-69 ---	1
A	EP 0 529 910 A (NIPPON SHOKUBAI CO., LTD.) 3 March 1993 (1993-03-03) claims 1-13 ---	1
A	EP 0 497 611 A (ROHM AND HAAS COMPANY) 5 August 1992 (1992-08-05) claims 1-17 ---	1
A	R. ARSHADY: "NOVEL GRAFT COPOLYMERS FOR IN VIVO TARGETING OF COLLOIDAL CARRIERS." POLYMERS FOR ADVANCED TECHNOLOGIES, vol. 1, no. 5/6, December 1990 (1990-12), pages 345-349, XP000315620 CHICHESTER, SUSSEX, GB page 345 -page 349 -----	1

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PC1/US 00/42190

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
WO 9705185	A	13-02-1997	CA	2228118 A1	13-02-1997
			EP	0842209 A2	20-05-1998
			JP	11510837 T	21-09-1999
			WO	9705185 A2	13-02-1997
			US	6201065 B1	13-03-2001
WO 9903454	A	28-01-1999	AU	8490498 A	10-02-1999
			BR	9811793 A	26-09-2000
			CN	1271277 T	25-10-2000
			EP	1019031 A1	19-07-2000
			JP	2001510151 T	31-07-2001
			TR	200001021 T2	21-09-2000
			WO	9903454 A1	28-01-1999
			US	6153211 A	28-11-2000
WO 9317669	A	16-09-1993	AT	197125 T	15-11-2000
			AU	673160 B2	31-10-1996
			AU	3735393 A	05-10-1993
			AU	683209 B2	06-11-1997
			AU	3780993 A	13-09-1993
			BR	9306038 A	13-01-1998
			BR	9306041 A	18-11-1997
			CA	2117584 A1	02-09-1993
			CA	2117588 A1	16-09-1993
			DE	69329594 D1	30-11-2000
			DE	69329594 T2	31-05-2001
			DK	627911 T3	20-11-2000
			EP	0627911 A1	14-12-1994
			EP	0627912 A1	14-12-1994
			ES	2153378 T3	01-03-2001
			JP	3011767 B2	21-02-2000
			JP	7506961 T	03-08-1995
			JP	3011768 B2	21-02-2000
			JP	7507056 T	03-08-1995
			KR	266912 B1	01-12-2000
			NZ	249770 A	25-09-1996
			NZ	251039 A	26-03-1996
			PT	627911 T	30-04-2001
			US	5410016 A	25-04-1995
			WO	9317669 A1	16-09-1993
			WO	9316687 A1	02-09-1993
			US	6060582 A	09-05-2000
			US	5468505 A	21-11-1995
			US	5626863 A	06-05-1997
			US	5843743 A	01-12-1998
			US	5567435 A	22-10-1996
			US	5801033 A	01-09-1998
			US	5986043 A	16-11-1999
			US	6258870 B1	10-07-2001
			US	5529914 A	25-06-1996
WO 9624073	A	08-08-1996	AT	190071 T	15-03-2000
			AU	700857 B2	14-01-1999
			AU	4538496 A	21-08-1996
			BR	9607107 A	04-11-1997
			CA	2211403 A1	08-08-1996
			CN	1172534 A	04-02-1998
			DE	69606854 D1	06-04-2000

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PC1/US 00/42190

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9624073	A		DE 69606854 T2	17-08-2000
			DK 807267 T3	31-07-2000
			WO 9624073 A1	08-08-1996
			EP 0807267 A1	19-11-1997
			ES 2143178 T3	01-05-2000
			FI 973157 A	24-09-1997
			GR 3033119 T3	31-08-2000
			IL 116897 A	28-10-1999
			JP 10513124 T	15-12-1998
			NO 973514 A	03-09-1997
			NZ 300599 A	28-10-1999
			PT 807267 T	31-08-2000
			US 5807927 A	15-09-1998
			ZA 9600828 A	05-08-1996
WO 9624075	A	08-08-1996	AT 178414 T	15-04-1999
			AU 4620596 A	21-08-1996
			DE 69601924 D1	06-05-1999
			DE 69601924 T2	30-09-1999
			WO 9624075 A1	08-08-1996
			EP 0807270 A1	19-11-1997
			JP 10513126 T	15-12-1998
			US 5849841 A	15-12-1998
			ZA 9600824 A	05-08-1996
WO 9812243	A	26-03-1998	US 5900245 A	04-05-1999
			AU 728281 B2	04-01-2001
			AU 4587097 A	14-04-1998
			BR 9711537 A	24-08-1999
			EP 0927214 A1	07-07-1999
			WO 9812243 A1	26-03-1998
			US 6051248 A	18-04-2000
			US 6217894 B1	17-04-2001
			US 6177095 B1	23-01-2001
			US 2001000728 A1	03-05-2001
			US 6083524 A	04-07-2000
			AU 8695598 A	01-03-1999
			EP 1003568 A1	31-05-2000
			JP 2001513368 T	04-09-2001
			WO 9907417 A1	18-02-1999
			US 6162241 A	19-12-2000
			ZA 9807019 A	04-06-1999
EP 529910	A	03-03-1993	DE 69208976 D1	18-04-1996
			DE 69208976 T2	17-04-1997
			EP 0529910 A2	03-03-1993
			JP 5239127 A	17-09-1993
			US 5298570 A	29-03-1994
EP 497611	A	05-08-1992	US 5191048 A	02-03-1993
			AT 161858 T	15-01-1998
			AU 660166 B2	15-06-1995
			AU 1057892 A	06-08-1992
			BR 9200257 A	06-10-1992
			CA 2059675 A1	02-08-1992
			DE 69223819 D1	12-02-1998
			DE 69223819 T2	06-08-1998
			EP 0407611 A1	05-08-1992

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PC1/US 00/42190

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 497611 A	ES	2113409 T3	01-05-1998
	IE	920293 A1	12-08-1992
	JP	2675707 B2	12-11-1997
	JP	4311706 A	04-11-1992
	MX	9200363 A1	01-08-1992
	NZ	241462 A	25-02-1994
	US	5264510 A	23-11-1993
	ZA	9200699 A	30-09-1992